

Slide In Vacuum Tank Catalog





SC Series Slide-In Vacuum Tank Standard Features

5454-H32 Marine grade mill finish aluminum

RE – Pump located on rear (end) side of tank

8" X 2" NVE low profile primary with stainless steel ball and cage

3" Discharge with 3" full port poly ball valve, male camlock and dust cap

3" Top nipple with 2" adapter for Tigertail Suction hose

(2) 2" Sight eyes in waste compartment

Half-moon style hose hook suction hose

Hose hook for wash down hose

(1) Work light

Full length fork lift pockets

Masport HXL2V (76 CFM) vacuum/pressure pump

12v wash down pump, 3.0 GPM

2" MZ plastic secondary

2" Diamond plate aluminum oil trap

2" Bucket fill with 2" straight male camlock fitting

2" x 30' Tigertail suction hose with 2" full port 90 degree valve and 30" schedule 80 PVC wand

½" x 50' wash down hose with spray nozzle

12v battery

All units come with a kit that contains: (1) 2" 90 male camlock for option to replace straight camlock on bucket fill, (20') of red 6 gauge battery cable for option to wire battery on unit to truck battery, (1) 2" female camlock to garden hose adapter for fresh water fill through bucket fill

Notes:


1) Any SC single compartment model deletes the following items: Wash down hose and spray nozzle, 12v wash down pump, bucket fill, garden hose hook, sight tube, vent, strainer, fresh plumbing.

- 2 -



SC Series—Rear Engine

Model	Capacity	Description			
SC300-1C-RE	300	300 Gallon, single comp, standard features			
SC300-2C-RE	300	200 Waste x 100 fresh, two comp, standard features			
SC450-1C-RE	450	450 Gallon, single comp, standard features			
SC450-2C-RE	450	300 Waste x 150 fresh, two comp, standard features			
BR600-1C-RE	600	600 Gallon, single comp			
BR600-2C-RE	600	400 Waste x 200 fresh, two comp			
SC800-1C-RE	800	800 Gallon, single comp, standard features			
SC800-2C-RE	800	540 Waste x 260 fresh, two comp, standard features			
BR995-1C-RE	995	995 Gallon, single comp, standard features			
BR995-2C-RE	995	670 Waste x 325 Fresh, two comp, standard features			
All SC Series, rear engine models are kept in stock both with and without pumps.					



Capacity	Α	В	С	D	Weight (HXL2V)
300 Gallon	47"	73"	58"	44	795 lbs.
300 Shipping	62"	100"	65"	Х	1,100 lbs.
450 Gallon	47"	93"	58"	48	965 lbs.
450 Shipping	62"	100"	65"	Х	1,225 lbs.
600 Gallon	51"	113"	58"	50	1,085 lbs.
600 Shipping	62"	124"	65"	Х	1,400 lbs.
800 Gallon	69"	113"	66"	54	1,235 lbs.
800 Shipping	74"	124"	73"	Х	1,650 lbs.



www.keevac.com | 866-789-9440